

# Value-added Printing Solution

Receipts and Industrial  
Printer Engines Leading Company



# KIOSK PRINTERS

Ultra compact with a small footprint



## RX831-H120 (H80) 3inch (80mm)

**SIZE** 30 x 170.4 x 107.9mm (W x L x H) **WEIGHT** 647g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)  
\*Adjustable to 80mm(Model : RX831-H80)
- 2 • Near paper end sensor \*Adjustable with 2 positions
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 80mm  
• Printing width : 72mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine)  
• Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector or USB B female connector : Option  
• RS232 Serial \*5pin connector or 9pin male connector : Option  
• 24V DC \*2pin connector or 3pin DIN female connector : Option



## RX831-V120 (V80) 3inch (80mm)

**SIZE** 30 x 107.9 x 176.1mm (W x L x H) **WEIGHT** 752g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)  
\*Adjustable to 80mm(Model : RX831-V80)
- 2 • Near paper end sensor \*Adjustable with 2 positions
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 80mm  
• Printing width : 72mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine)  
• Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector or USB B female connector : Option  
• RS232 Serial \*5pin connector or 9pin male connector : Option  
• 24V DC \*2pin connector or 3pin DIN female connector : Option



## RX531-H120 (H80) 2inch (60mm)

**SIZE** 108.6 x 170.4 x 107.9mm (W x L x H) **WEIGHT** 570g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)  
\*Adjustable to 80mm(Model : RX531-H80)
- 2 • Near paper end sensor \*Adjustable with 2 positions
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 60mm  
• Printing width : 54mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine)  
• Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector or USB B female connector : Option  
• RS232 Serial \*5pin connector or 9pin male connector : Option  
• 24V DC \*2pin connector or 3pin DIN female connector : Option



## RX531-V120 (V80) 2inch (60mm)

**SIZE** 108.6 x 107.9 x 176.1mm (W x L x H) **WEIGHT** 636g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)  
\*Adjustable to 80mm(Model : RX531-V80)
- 2 • Near paper end sensor \*Adjustable with 2 positions
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 60mm  
• Printing width : 54mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine)  
• Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector or USB B female connector : Option  
• RS232 Serial \*5pin connector or 9pin male connector : Option  
• 24V DC \*2pin connector or 3pin DIN female connector : Option



## RMP8300 (KIOSK Mechanism) 3inch (80mm)

**SIZE** 116.5 x 34 x 52mm (W x L x H) **WEIGHT** 270g (with paper mouth)


- 1 • Printing Speed: Max. 200mm/sec  
• Paper width : 80mm  
• Printing width : 72mm  
• Sensor : Paper presence, Head opening, Black mark
- 2 • Auto cutter (Guillotine)  
• Partial and Full cut
- 3 • Paper Mouth : Option \*We can also provide you the controller as an option.



## RMP5360 (KIOSK Mechanism) 2inch (60mm)

**SIZE** 94 x 34 x 52mm (W x L x H) **WEIGHT** 230g (with paper mouth)

- 1 • Printing Speed: Max. 200mm/sec  
• Paper width : 60mm  
• Printing width : 54mm  
• Sensor : Paper presence, Head opening, Black mark
- 2 • Auto cutter (Guillotine)  
• Partial and Full cut
- 3 • Paper Mouth : Option \*We can also provide you the controller as an option.



## RMP8500 (Thermal mechanism) 3inch & 300dpi

**SIZE** 105.5 x 36 x 38.6mm (W x L x H) **WEIGHT** 150g

- Paper width : 80mm
- Printing width : 73mm
- Printing speed : 50mm/s(300dpi), max200mm/s(203dpi)
- Sensor : Cover open, Paper end, Cutter home



## RMP2008 (Dot Mechanism) Dot matrix

**SIZE** 1. 127.8 x 100.3 x 53mm 2. 128.8 x 100.3 x 72.8mm (W x L x H)  
\* 1. with auto cutter 2. without auto cutter

**WEIGHT** 430g

- Printing method : 9-pin, Serial impact dot
- Printing speed : 4.5LPS(2.5inch), 6.2LPS(1.8inch)
- Printing width : 63.5mm(2.5inch), 45.3MM(1.8inch)
- Paper width : 76.2±0.7mm, 57.5±0.5mm
- Paper thickness : 1 Sheet 0.06~0.085, Total 0.2mm
- Resolution  
1. Horizontal : 84dpi(3.3dot/mm) 2. Vertical : 144dpi(5.7dot/mm)
- Reliability  
1. Mechanism : 10 Million Lines 2. Dot head : 300 Million dots/wire
- Compatible with EPSON  
\*Option : 1. Black mark sensor 2. Auto cutter(1 Million cuts)



# KIOSK PRINTERS with a presenter



## RX535-V00PRM 2inch (60mm)

**SIZE** 109.4 x 60.1 x 77.2mm (W x L x H) **WEIGHT** 500g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)
- 2 • Near paper end sensor
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 80mm • Printing width : 72mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine) • Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector  
• RS232 Serial \*5pin connector  
• 24V DC \*2pin connector
- 6 • Presenter makes a loop of the receipt and prevent the papaer jam



## RX831-H80PRM 3inch (80mm)

**SIZE** 130 x 157.3 x 93.6mm (W x L x H) **WEIGHT** 670g (Net)

- 1 • Paper roll holder : Paper roll capacity Max.120mm (Diameter)  
\*Adjustable to 80mm(Model : RX831-V80)
- 2 • Near paper end sensor \*Adjustable with 2 positions
- 3 • Printing Speed: Max. 200mm/sec  
• Paper width : 80mm • Printing width : 72mm  
• Sensor : Paper presence, Head opening, Black mark
- 4 • Auto cutter (Guillotine) • Partial and Full cut
- 5 • USB 2.0 full speed \*4pin connector or USB B female connector : Option  
• RS232 Serial \*5pin connector or 9pin male connector : Option  
• 24V DC \*2pin connector or 3pin DIN female connector : Option
- 6 • Presenter makes a loop of the receipt and prevent the papaer jam

# ANDROID POS TERMINAL



## TS-A1190 (AIO Android Touch POS)

**SIZE** 275 x 260 x 100mm (W x L x H) **WEIGHT** 2.9kg

- 1 • Android 11os  
• 2GB & 8GB or 2GB & 16GB  
• USB / LAN / WIFI / 4G (Optional) / Serial / Bluetooth communications  
• 7inch/10.1inch / 11.6inch touch screen
- 2 • Printing speed : 250mm/s (MAX)  
• Paper width : 79.5±0.5mm | Diameter : 60mm  
• Printing width : 72mm (MAX)  
• Auto cutter
- 3 • 1D& 2D Scanner (Optional) • NFC (Optional)  
• Digital display  
• 5inch customer display  
• Power supply : DC12V, 4A



## TS-P733 (Android POS Terminal)

**SIZE** 220 x 141 x 142mm (W x L x H) **WEIGHT** 430g

- 1 • Android 7.0os  
• 16GB & 8GB or 2GB & 16GB  
• USB / LAN / WIFI / 4G / Serial / Bluetooth communications  
• 7inch touch screen
- 2 • Line thermal Paper or Label printing  
• Printing speed : 150mm/s (MAX)  
• Paper width : 79.5±0.5mm | Printing width : 72mm (MAX)  
• Auto cutter (Partial and Full cut)
- 3 • 1D& 2D Scanner / Camera (Optional)  
• NFC (Optional)  
• Power supply : DC24V±10%, 2.5A

**REXOD**  
Real Expression method

REXOD CO., LTD.

Официальный представитель в России ООО «ТАЧПЛАТ»  
115114, Москва, 2-й Павелецкий проезд, д. 5 стр. 1  
Тел.: +7 495 960 3704 | E-mail: info@rexod.ru, info@kiosksolutions.ru